



State of Utah

JON M. HUNTSMAN, JR.  
*Governor*

GARY R. HERBERT  
*Lieutenant Governor*

## DEPARTMENT OF TRANSPORTATION

JOHN R. NJORD, P.E.  
*Executive Director*

CARLOS M. BRACERAS, P.E.  
*Deputy Director*

June 29, 2006

All Division Heads, Region, District and  
State Transportation Departments,

RE: Construction Cost Index

Attached is the Utah Construction Cost Index for the 2nd quarter of 2006.

If you have any questions or comments please call me at (801) 965-4344.

Sincerely,

Thomas A. LeHolm  
Manager, Contracts, Estimates/Agreements

Attachment

**UTAH DEPARTMENT OF TRANSPORTATION**  
Construction Cost Index  
Second Quarter of 2006

The Utah Construction Cost Index for the second quarter of 2006 stands at 346.2 up (34.5%) from the first quarter of 2006. This is up 86.7 points (33.4%) from the annual index of 2005.

Increases, during the second quarter, were recorded in Roadway Excavation, Bituminous Surface Mix, Reinforcing Steel, and Structural Concrete.

The average number of bids, per project, during the second quarter are at 2.2, down 0.6 from the previous quarter. The average number of bids per project was 2.8 during the first quarter of 2006.

The project values used for the preparation of this quarter's index are distributed as follows:

Project Values	Number of Projects	%	Value of the Projects	%
Under \$100,000	1	2.4	\$86,330	0.10
\$100,000 to \$250,000	6	14.3	\$980,428.59	1.12
\$250,000 to \$500,000	8	19.0	\$2,773,422.05	3.17
\$500,000 to \$1,000,000	10	23.8	\$7,408,172.42	8.48
\$1,000,000 to \$2,500,000	11	26.2	\$18,056,198.56	20.67
\$2,500,000 to \$5,000,000	3	7.1	\$11,506,513.80	13.17
Over \$5,000,000	3	7.1	\$46,544,022.99	53.28
<b>TOTAL</b>	<b>42</b>	<b>100%</b>	<b>\$87,355,088</b>	<b>100%</b>

The Utah Construction Cost Index is composed of seven indicator items and it is based on the total quantities used during 1987. These items are used to indicate the price trend for roadway excavations, surfacing and structures. These indexes and the composite index are shown on the accompanying table and graphs for the period from 1966 to present. The indicator items account for 33.9% of the total costs for projects bid during the Second quarter.

Roadway Excavation - \$13.59 per cubic yard

This price increased \$5.22 per cubic yard from the average unit price of \$8.37, which was last bid the first quarter of 2006.

Bituminous Surface Mix - \$60.36 per ton

This price increased \$18.22 per ton from the average unit price of \$42.14, which was last bid the first quarter of 2006.

Bitumen - \$405.47 per ton

This price decreased \$2.10 per ton from the average unit price of \$407.57, which was last bid the first quarter of 2006.

P.C.C.P. (9"-11" Thick)- \$46.00 per Sq. Yd.

This price decreased \$17.18 per ton from the average unit price of \$63.18, which was last bid the third quarter of 2005.

Reinforcing Steel - \$1.27 per pound

This price increased \$0.25 per pound from the average unit price of \$1.02 which was last bid the first quarter of 2006.

Structural Steel - \$1.64 per pound

This price decreased \$0.23 per pound from the average unit price of \$1.87 which was last bid the first quarter of 2006.

Structural Concrete - \$597.44 per cubic yard

This price increased \$200.68 per cu. yd. from the average unit price of \$396.76 from the first quarter of 2006.

\*For the purpose of providing an index in an unused item, the average of the preceding year was used.

## PRICE TRENDS FOR UTAH HIGHWAY CONSTRUCTION

(1987 BASE)

Year	ROADWAY EXCAVATION		SURFACING								STRUCTURES						Composite					
	Roadway Excavation		Bituminous Surface Course		Bitumen		Bituminous Surface Mix		Portland Cement Concrete		Surfacing		Reinforcing Steel **		Structural Steel		Structural Concrete					
	QTR	cu yd	Index	ton	Index	ton	Index	cu yd	Index	sq. yd	Index	Index	lb	Index	lb	Index	cu yd	Index	Index			
1966		\$0.45	27.3	\$3.10	32.3	\$29.61	19.0					10.3	\$0.12	27.3	\$0.22	31.9	\$61.46	31.1	30.9	20.0		
1967		0.43	26.1	2.98	31.0	29.54	18.9					10.1	0.13	29.5	0.27	39.1	65.17	33.0	35.2	20.5		
1968		0.40	24.2	3.01	31.3	29.98	19.2					\$14.63	31.9	29.0	0.12	27.3	0.24	34.8	61.94	31.3	32.3	28.4
1969		0.49	29.7	3.07	31.9	31.73	20.4					16.60	36.2	31.9	0.13	29.5	0.23	33.3	80.81	40.9	36.2	32.2
1970		0.53	32.1	3.54	36.8	38.58	24.7					17.64	38.5	35.1	0.14	31.8	0.27	39.1	80.25	40.6	38.8	35.1
1971		0.52	31.5	3.07	31.9	43.11	27.7					19.24	42.0	36.9	0.16	36.4	0.28	40.6	85.73	43.4	41.3	36.3
1972		0.55	33.3	3.37	35.1	44.18	28.3					16.75	36.5	34.4	0.16	36.4	0.29	42.0	87.11	44.1	42.2	35.9
1973		0.60	36.4	3.07	31.9	47.37	30.4					20.52	44.8	39.1	0.19	43.2	0.36	52.2	98.89	50.0	50.1	40.8
1974		0.88	53.3	4.01	41.7	95.19	61.1					25.31	55.2	53.9	0.36	81.8	0.51	73.9	123.10	62.3	69.8	57.4
1975		0.73	44.2	4.36	45.4	88.86	57.0					28.42	62.0	57.7	0.26	59.1	0.46	66.7	115.99	58.7	62.2	54.8
1976		1.01	61.2	4.73	49.2	71.28	45.7					31.52	68.8	59.9	0.25	56.8	0.44	63.8	137.13	69.4	65.3	61.5
1977		1.10	66.7	6.18	64.3	93.37	59.9					30.53	66.6	64.7	0.28	63.6	0.48	69.6	153.09	77.5	72.3	67.0
1978		1.33	80.6	7.70	80.1	104.51	67.0					30.53 *	66.6	69.3	0.35	79.5	0.69	100.0	181.72	92.0	93.8	78.2
1979		1.46	88.5	7.49	77.9	129.14	82.8					58.60	127.8	108.4	0.48	109.1	0.72	104.3	187.54	94.9	100.8	100.8
1980		1.59	96.4	11.08	115.3	183.90	118.0					49.31	107.6	111.3	0.39	88.6	1.10	159.4	189.30	95.8	122.0	109.4
1981		1.35	81.8	9.93	103.3	203.70	130.7					49.31 *	107.6	111.9	0.39	88.6	0.80	115.9	190.48	96.4	103.7	101.2
1982		1.11	67.3	9.00	93.7	203.46	130.5					45.69	99.7	105.4	0.41	93.2	0.68	98.6	203.58	103.0	99.8	93.0
1983		1.66	100.6	11.49	119.6	164.33	105.4					41.93	91.5	99.9	0.36	81.8	0.56	81.2	181.05	91.6	85.9	96.9
1984		2.43	147.3	13.13	136.6	227.44	145.9					50.60	110.4	123.2	0.42	95.5	0.61	88.4	192.96	97.7	93.4	123.3
1985		1.63	98.8	13.37	139.1	209.81	134.6	45.48		100.3	53.20	116.1	119.9	0.39	88.6	0.69	100.0	199.27	100.9	98.9	110.0	
1986		1.52	92.1	11.62	120.9	177.67	114.0	49.26		108.6	66.13	144.3	128.4	0.35	79.5	0.51	73.9	195.29	98.8	85.7	110.1	
1987	1	1.29	78.2	8.27	86.1	144.80	92.9	49.26		108.6	39.24	85.6	91.5	0.52	118.2	0.69	100.0	189.65	96.0	100.6	89.9	
1987	2	1.39	84.2	12.72	132.4	162.85	104.5	39.70		87.6	42.12	91.9	99.5	0.46	104.5	0.74	107.2	234.65	118.8	112.0	98.1	
1987	3	1.75	106.1	11.05	115.0	173.61	111.4	51.30		113.1	61.53	134.2	123.1	0.43	97.7	0.69	100.0	197.40	99.9	99.7	113.8	
1987	4	2.07	125.5	10.82	112.6	185.25	118.8	44.32		97.8	62.00	135.3	121.6	0.48	109.1	1.68	243.5	170.66	86.4	156.3	129.8	
<b>Annual</b>	<b>87</b>	<b>1.65</b>	<b>100.0</b>	<b>9.61</b>	<b>100.0</b>	<b>155.89</b>	<b>100.0</b>	<b>45.34</b>	<b>100.0</b>	<b>45.84</b>	<b>100.0</b>	<b>0.44</b>	<b>100.0</b>	<b>0.69</b>	<b>100.0</b>	<b>197.59</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>			
1988	1	1.74	105.5	12.15	126.4	171.33	109.9	52.92 per cuyd		116.7	79.45	173.3	143.9	0.48	109.1	0.77	111.6	185.84	94.1	103.5	125.5	
1988	2	2.00	121.2	9.19	95.6	177.64	114.0	53.24		117.4	37.65	82.1	96.7	0.48	109.1	0.61	88.4	160.82	81.4	88.0	101.3	
1988	3	2.33	141.2	12.68	131.9	232.19	148.9	45.34		100.0	39.06	85.2	106.6	0.49	111.4	0.80	115.9	211.43	107.0	111.4	116.6	
1988	4	2.39	144.8	11.93	124.1	180.88	116.0	59.68		131.6	63.27	138.0	130.8	0.50	113.6	1.52	220.3	212.30	107.4	156.4	139.7	
<b>Annual</b>	<b>88</b>	<b>1.98</b>	<b>120.0</b>	<b>12.34</b>	<b>128.4</b>	<b>218.62</b>	<b>140.2</b>	<b>53.24</b>	<b>117.4</b>	<b>40.42</b>	<b>88.2</b>	<b>109.3</b>	<b>0.48</b>	<b>109.1</b>	<b>0.81</b>	<b>117.4</b>	<b>187.41</b>	<b>94.8</b>	<b>106.3</b>	<b>111.5</b>		
1989	1	1.79	108.5	9.71	101.0	139.24	89.3	51.68 per cuyd		114.0	40.42 *	88.2	95.4	0.46	104.5	1.16	168.1	192.24	97.3	128.4	105.6	
1989	2	1.79	108.5	13.51	140.6	131.70	84.5	41.01		90.4	50.77	110.8	106.7	0.47	106.8	0.85	123.2	191.90	97.1	109.5	107.8	
1989	3	2.35	142.4	16.32	169.8	148.82	95.5	54.00		119.1	51.58	112.5	119.6	0.47	106.8	0.98	142.0	176.95	89.6	114.2	124.4	
1989	4	4.14	250.9	16.29	169.5	129.38	83.0	39.00		86.0	40.42 *	88.2	99.3	0.44	100.0	0.69	100.0	195.78	99.1	99.6	138.9	
<b>Annual</b>	<b>89</b>	<b>1.98</b>	<b>120.0</b>	<b>12.78</b>	<b>133.0</b>	<b>137.99</b>	<b>88.5</b>	<b>44.07</b>	<b>97.2</b>	<b>51.23</b>	<b>111.8</b>	<b>108.1</b>	<b>0.47</b>	<b>106.8</b>	<b>0.93</b>	<b>134.8</b>	<b>184.28</b>	<b>93.3</b>	<b>112.8</b>	<b>112.1</b>		
1990	1	2.32	140.6	12.44	129.4	131.71	84.5	51.51 per cuyd		113.6	51.23 *	111.8	110.0	0.56	127.3	1.10	159.4	296.62	150.1	151.1	126.5	
1990	2	2.83	171.5	13.89	144.5	105.59	67.7	42.44		93.6	66.35	144.7	121.1	0.47	106.8	1.02	147.8	161.57	81.8	113.2	132.6	
1990	3	2.14	129.7	13.71	142.7	173.06	111.0	47.26		104.2	68.09	148.5	132.4	0.51	115.9	0.92	133.3	239.30	121.1	125.6	130.3	
1990	4	2.88	174.5	20.27	210.9	173.50	111.3	40.71		89.8	60.06	131.0	131.8	0.54	122.7	1.01	146.4	222.41	112.6	128.3	142.2	
<b>Annual</b>	<b>90</b>	<b>2.39</b>	<b>144.8</b>	<b>13.66</b>	<b>142.1</b>	<b>142.31</b>	<b>91.3</b>	<b>42.75</b>	<b>94.3</b>	<b>65.42</b>	<b>142.7</b>	<b>124.1</b>	<b>0.49</b>	<b>111.4</b>	<b>1.00</b>	<b>144.9</b>	<b>185.71</b>	<b>94.0</b>	<b>118.0</b>	<b>128.2</b>		

## PRICE TRENDS FOR UTAH HIGHWAY CONSTRUCTION

(1987 BASE)

Year	ROADWAY EXCAVATION		SURFACING								STRUCTURES						Composite							
	Roadway Excavation		Bituminous Surface Course		Bitumen		Bituminous Surface Mix		Portland Cement Concrete		Surfacing		Reinforcing Steel **		Structural Steel		Structural Concrete							
	QTR	cu yd	Index	ton	Index	ton	Index	cu yd	Index	sq. yd	Index	lb	Index	lb	Index	cu yd	Index	Index						
1991	1	4.00	242.4	22.00	228.9	174.30	111.8	47.85 per cuyd	105.5	53.60	116.9	131.0	0.48	109.1	0.77	111.6	224.66	113.7	112.2	156.2				
1991	2	2.77	167.9	13.82	143.8	147.53	94.6	50.66	111.7	86.39	188.5	150.0	0.45	102.3	0.87	126.1	242.00	122.5	121.3	148.8				
1991	3	2.92	177.0	15.95	166.0	149.83	96.1	48.17	106.2	61.37	133.9	126.7	0.50	113.6	1.46	211.6	227.78	115.3	156.1	145.9				
1991	4	2.20	133.3	10.97	114.2	144.98	93.0	49.86	110.0	52.19	113.9	109.4	0.48	109.1	0.69	100.0	198.55	100.5	101.4	114.0				
Annual	91	2.57	155.8	14.48	150.7	149.28	95.8	48.82	107.7	55.08	120.2	118.1	0.47	106.8	0.78	113.0	214.88	108.8	110.3	126.3				
1992	1	2.88	174.5	13.00	135.3	165.54	106.2	38.53 per cuyd	85.0	55.08	* 120.2	113.2	0.46	104.5	0.78	*	113.0	215.31	109.0	110.1	128.6			
1992	2	3.09	187.3	14.81	154.1	187.60	120.3	47.43	104.6	100.98	220.3	169.9	0.43	97.7	0.92	133.3	189.55	95.9	112.1	162.5				
1992	3	2.38	144.2	13.23	137.7	142.71	91.5	39.15	86.3	56.88	124.1	113.1	0.51	115.9	0.98	142.0	235.42	119.1	128.5	124.4				
1992	4	2.31	140.0	14.38	149.6	174.55	112.0	45.77	100.9	60.01	130.9	124.6	0.43	97.7	0.84	121.7	247.19	125.1	120.1	127.7				
Annual	92	2.42	146.7	13.81	143.7	158.81	101.9	40.95	90.3	59.33	129.4	119.1	0.47	106.8	0.85	123.2	232.81	117.8	118.7	126.2				
1993	1	2.46	149.0	12.60	131.1	134.44	86.2	43.11 per cuyd	95.1	60.08	131.1	116.1	0.45	101.1	0.74	107.1	267.69	135.5	118.8	125.3				
1993	2	3.61	218.5	15.47	161.0	187.28	120.1	48.68	107.4	85.53	186.6	155.5	0.58	132.3	0.85	*	123.2	232.81	*	117.8	122.0	165.0		
1993	3	3.32	201.4	17.65	183.7	136.43	87.5	42.65	94.1	59.33	*	129.4	123.4	0.47	107.3	0.85	*	123.2	233.69	113.2	116.7	142.4		
1993	4	2.63	159.3	12.54	130.5	168.70	108.2	42.07	92.8	59.33	*	129.4	118.7	0.47	107.3	0.86	124.6	267.32	135.3	127.0	131.0			
Annual	93	2.60	157.3	13.29	138.3	159.70	102.4	42.57	93.9	97.71	213.1	158.8	0.46	104.8	0.83	119.8	250.34	126.7	120.9	150.6				
1994	1	3.93	237.9	22.30	232.1	25.33	16.2	80.99 per cuyd	178.6	90.36	197.1	166.6	0.53	120.4	0.87	126.6	250.34	*	126.7	125.8	176.8			
1994	2	2.60	*	157.6	9.75	101.5	315.90	202.6	100.00	220.6	60.65	*	132.3	157.3	0.95	215.9	0.83	*	120.3	250.34	*	126.7	135.7	152.9
1994	3	2.88	174.4	14.66	152.6	153.42	98.4	47.39	104.5	60.65	*	132.3	124.0	0.52	118.2	1.32	191.6	250.34	*	126.7	153.2	143.2		
1994	4	2.55	154.7	14.50	150.9	157.82	101.2	57.09	125.9	55.66	121.4	123.2	0.60	136.9	0.86	124.0	247.81	125.4	126.3	132.1				
Annual	94	2.72	164.7	16.05	167.1	123.55	79.3	49.99	110.3	60.15	131.2	123.4	0.56	126.6	0.88	127.2	250.03	126.5	126.8	134.9				
1995	1	2.24	135.7	21.33	221.9	115.00	73.8	58.00 per cuyd	127.9	60.15	*	131.2	134.3	0.59	133.5	0.89	*	129.0	296.50	150.1	138.9	135.6		
1995	2	3.22	195.2	14.29	148.7	146.52	94.0	49.99	*	110.3	68.86	150.2	132.2	0.74	168.3	2.78	402.9	257.89	130.5	251.6	173.4			
1995	3	2.57	156.1	18.54	192.9	155.02	99.4	49.99	*	110.3	96.00	209.4	168.1	0.66	149.6	1.43	207.5	272.49	137.9	169.1	165.2			
1995	4	3.39	205.5	18.22	189.6	248.95	159.7	46.10	101.7	108.00	235.6	189.1	0.77	174.5	1.00	144.9	181.92	92.1	125.5	180.2				
Annual	95	2.92	177.1	18.00	187.3	156.22	100.2	46.70	103.0	89.65	195.6	159.4	0.74	168.4	1.65	239.0	192.86	97.6	167.2	165.6				
1996	1	3.29	199.5	24.50	254.9	156.22	*	100.2	38.17 per cuyd	84.2	89.65	*	195.6	166.1	0.82	187.2	1.90	274.7	266.18	134.7	201.3	182.1		
1996	2	3.70	224.1	15.68	163.2	197.13	126.5	23.50	103.0	89.65	*	195.6	160.4	0.64	146.2	1.65	*	239.0	192.86	*	130.7	178.9	180.8	
1996	3	3.19	193.3	17.35	180.5	156.22	*	100.2	32.35	71.4	165.14	360.2	230.4	0.62	141.0	1.47	213.0	255.91	129.5	166.6	207.5			
1996	4	3.76	228.1	20.69	215.3	185.14	118.8	22.49	49.6	89.50	195.2	156.5	0.67	151.5	1.54	223.5	260.05	131.6	173.4	178.7				
Annual	96	3.54	214.8	19.87	206.8	192.59	123.5	26.58	58.6	90.91	198.3	159.3	0.65	147.9	1.47	213.0	257.99	130.6	168.0	175.6				
1997	1	3.87	234.5	16.86	175.4	230.12	147.6	28.11 per ton	62.0	68.25	148.9	135.9	0.61	137.6	0.54	78.9	260.91	132.0	110.1	156.3				
1997	2	3.57	216.1	20.07	208.8	289.59	185.8	34.61	76.3	58.23	127.0	140.3	0.60	137.3	1.27	183.5	284.99	144.2	160.0	164.2				
1997	3	5.11	309.9	15.82	164.6	241.66	155.0	26.53	58.5	83.26	*	181.6	150.5	0.72	162.7	1.47	213.6	304.64	154.2	180.6	198.3			
1997	4	3.79	230.0	19.87	*	206.8	202.22	129.7	23.82	52.5	41.37	90.3	107.9	0.71	162.3	1.11	161.4	238.21	120.6	143.5	147.1			
Annual	97	3.83	232.1	17.90	186.3	249.53	160.1	27.24	60.1	62.36	136.0	133.4	0.62	140.0	1.18	171.2	280.28	141.9	154.1	163.4				
1998	1	4.02	243.6	23.86	248.3	236.67	151.8	19.05 per ton	42.0	26.76	58.4	101.0	0.61	138.3	0.88	127.1	281.87	142.7	135.4	145.4				
1998	2	3.76	227.8	16.98	176.7	166.10	106.5	27.31	60.2	82.75	180.5	143.5	0.71	161.4	1.96	284.1	255.38	129.2	199.5	177.1				
1998	3	4.89	296.1	9.63	100.2	281.68	180.7	31.16	68.7	34.28	74.8	96.5	0.76	173.1	1.11	160.9	353.76	179.0	170.5	163.9				
1998	4	6.42	389.0	19.57	203.6	194.33	124.7	22.87	50.4	57.03	*	124.4	122.3	0.68	154.1	0.75	108.6	287.85	145.7	131.0	193.7			
Annual	98	4.24	257.2	15.09	157.0	253.01	162.3	23.55	51.9	29.72	64.8	93.9	0.64	145.7	0.94	136.9	279.35	141.4	140.0	146.1				
1999	1	4.54	275.3	15.09	*	157.0	253.01	*	162.3	22.51 per ton	49.7	61.04	133.2	125.9	0.63	143.4	1.29	187.6	279.02	141.2	161.3	172.2		
1999	2	4.06	246.1	15.09	*	157.0	228.00	146.3	33.59	74.1	30.59	66.7	96.2	0.61	139.3	1.16	168.7	324.60	164.3	162.9	149.1			
1999	3	4.41	267.6	15.09	*	157.0	203.58	130.6	22.13	48.8	34.75	75.8	92.8	0.71	160.5	0.94	*	136.2	243.30	123.1	133.6	146.9		
1999	4	2.52	152.8	15.09	*	157.0	253.01	*	162.3	30.69	67.7	27.18	*	59.3	94.3	0.66	149.1	1.33	192.6	321.50	162.7	173.6	126.0	
Annual	99	3.88	235.4	15.09	*	157.0	209.13	134.2	25.61	56.5	31.01	67.6	91.1	0.65	147.0	1.19	172.9	300.84	152.3	160.4	143.1			

## PRICE TRENDS FOR UTAH HIGHWAY CONSTRUCTION


(1987 BASE)

Year	ROADWAY EXCAVATION		SURFACING										STRUCTURES						Composite	
	Roadway Excavation		Bituminous Surface Course		Bitumen		Bituminous Surface Mix		Portland Cement Concrete		Surfacing		Reinforcing Steel **		Structural Steel		Structural Concrete			
	QTR	cu yd	Index	ton	Index	ton	Index	cu yd	Index	sq. yd	Index	Index	lb	Index	lb	Index	cu yd	Index	Index	
2000	1	3.21	194.4	15.09 *	157.0	249.13	159.8	24.21 per ton	53.4	49.39	107.7	114.1	0.67	152.6	1.11	160.8	263.83	133.5	147.7	142.0
2000	2	2.96	179.5	15.09 *	157.0	239.68	153.7	31.93	70.4	29.28	63.9	95.5	0.68	154.2	1.02	147.9	291.16	147.4	148.5	128.4
2000	3	3.57	216.6	15.09 *	157.0	264.86	169.9	31.25	68.9	28.35 *	61.8	97.1	0.61	138.3	1.99	287.9	261.76	132.5	199.5	149.5
2000	4	3.09	187.1	15.09 *	157.0	291.55	187.0	36.57	80.7	28.35 *	61.8	102.5	0.62	141.8	1.32	190.7	296.59	150.1	166.3	137.8
Annual	2000	3.15	190.9	15.09 *	157.0	251.86	161.6	30.85	68.0	29.64	64.7	96.8	0.65	148.8	1.07	155.4	276.07	139.7	147.6	131.9
2001	1	4.17	252.9	15.09 *	157.0	249.54	160.1	31.52 per ton	69.5	28.99	63.2	96.2	0.70	158.8	1.32	191.3	312.03	157.9	172.3	152.8
2001	2	2.88	174.5	29.12	303.0	235.10	150.8	32.72	72.2	25.59	55.8	113.9	0.62	141.1	1.05	152.2	319.63	161.8	155.0	138.2
2001	3	7.80	472.9	29.32	305.1	247.82	159.0	33.47	73.8	27.11 *	59.1	117.6	0.76	172.2	1.81	261.8	276.65	140.0	196.2	226.6
2001	4	5.51	334.1	32.18	334.8	239.12	153.4	52.65	116.1	27.11 *	59.1	129.3	0.66	149.5	0.96	138.8	293.97	148.8	144.6	185.9
Annual	2001	3.73	226.3	30.32	315.5	244.55	156.9	32.73	72.2	27.20	59.3	118.5	0.65	147.9	0.99	143.4	308.30	156.0	149.6	153.1
2002	1	2.74	166.3	33.84	352.1	222.75	142.9	47.76 per ton	105.3	24.87 *	54.3	125.7	0.61	139.4	1.08	157.2	252.63	127.9	141.9	139.6
2002	2	3.43	207.8	30.32 *	315.5	205.57	131.9	28.97	63.9	30.08	65.6	115.5	0.68	154.3	0.99 *	143.5	344.59	174.4	158.6	148.5
2002	3	4.95	300.1	36.11	375.7	249.98	160.4	38.01	83.8	25.30	55.2	128.7	0.63	143.8	2.16	312.7	318.51	161.2	223.5	193.1
2002	4	6.64	402.3	27.97	291.0	229.60	147.3	19.93	44.0	31.53	68.8	112.1	0.56	128.3	1.07	154.9	336.01	170.1	158.1	197.4
Annual	2002	3.63	219.9	32.50	338.2	223.32	143.3	28.66	63.2	27.86	60.8	118.5	0.61	139.2	1.14	164.9	306.97	155.4	157.3	153.0
2003	1	2.70	163.6	0.00	0.0	247.31	158.6	29.32 per ton	64.7	27.86 *	60.8	79.6	0.57	129.4	1.14 *	165.2	357.28	180.8	167.4	119.7
2003	2	3.09	187.5	0.00	0.0	262.41	168.3	32.80 per ton	72.3	27.86 *	60.8	84.0	0.63	142.8	0.78	112.6	381.11	192.9	152.1	125.1
2003	3	3.45	209.2	0.00	0.0	234.85	150.7	33.65 per ton	74.2	27.86 *	60.8	81.5	0.71	161.4	1.18	170.5	366.25	185.4	175.8	134.3
2003	4	5.34	323.4	0.00	0.0	244.70	157.0	29.65 per ton	65.4	25.60	55.8	77.2	0.62	141.5	1.31	190.3	296.94	150.3	166.2	159.9
Annual	2003	3.21	194.7	0.00	0.0	246.23	157.9	31.39	69.2	25.60	55.8	78.7	0.62	141.9	1.23	178.9	320.71	162.3	166.7	127.2
2004	1	3.60	218.1	0.00	0.0	242.96	155.9	32.37 per ton	71.4	34.43	75.1	88.2	0.78	177.8	1.25	181.2	271.68	137.5	161.4	137.3
2004	2	3.90	236.1	0.00	0.0	255.01	163.6	32.21 per ton	71.0	36.00	78.5	91.1	1.12	255.5	1.55	224.1	332.34	168.2	203.5	152.2
2004	3	4.42	267.7	0.00	0.0	252.88	162.2	43.45 per ton	95.8	50.00	109.1	114.0	1.11	252.6	1.12	162.4	348.90	176.6	180.5	167.9
2004	4	4.92	298.1	0.00	0.0	273.16	175.2	40.70 per ton	89.8	25.60 *	55.8	88.9	1.16	263.9	1.43	206.8	315.72	159.8	193.6	165.2
Annual	2004	4.18	253.1	0.00	0.0	254.47	163.2	34.99	77.2	34.46	75.2	91.6	1.01	230.5	1.32	191.5	313.78	158.8	182.2	152.5
2005	1	7.60	460.8	0.00	0.0	300.94	193.0	38.68 per ton	85.3	60.50	132.0	126.7	1.31	297.4	2.53	367.3	427.84	216.5	291.5	248.0
2005	2	7.95	482.1	0.00	0.0	295.97	189.9	40.77 per ton	89.9	62.82	137.0	130.1	1.00	227.8	2.74	397.0	587.51	297.3	330.6	263.5
2005	3	6.61	400.5	0.00	0.0	274.02	175.8	54.53 per ton	120.3	61.66 **	134.5	136.9	1.16	263.1	3.91	566.4	512.60	259.4	390.8	258.3
2005	4	9.08	550.1	0.00	0.0	330.00	211.7	49.36 per ton	108.9	63.18	137.8	141.0	1.22	277.4	2.29	331.8	530.36	268.4	296.6	280.0
Annual	2005	7.76	470.3	0.00	0.0	286.82	184.0	42.37	93.5	62.32	136.0	129.8	1.06	240.7	2.74	397.7	563.88	285.4	327.4	259.5
2006	1	8.37	507.3	0.00	0.0	407.57	261.4	42.14 per ton	92.9	62.32 **	136.0	143.5	1.02	232.5	1.87	271.3	396.76	200.8	235.1	257.4
2006	2	13.59	823.8	0.00	0.0	405.47	260.1	60.36 per ton	133.1	46.00	100.3	140.3	1.27	288.9	1.64	238.1	597.44	302.4	273.2	346.2
2006	3	0.00	0.00	0.00	0.00	0.00	0.00	per ton	0.0	0.00	0.0	0.00	0.00	0.0	0.00	0.00	0.00	0.00	0.00	
2006	4	0.00	0.00	0.00	0.00	0.00	0.00	per ton	0.0	0.00	0.0	0.00	0.00	0.0	0.00	0.00	0.00	0.00	0.00	
Annual	2006	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00


\*For the purpose of providing an index in an unused item, the average of the preceding year was used.

\*\*For the purpose of providing an index in an unused item, the average of the previous two quarters was used.

## STATE OF UTAH HIGHWAY CONSTRUCTION COST INDEX




**STATE OF UTAH**  
**QUARTERLY PRICE TRENDS**  
*1987 BASE = 100*




# COMPOSITE INDEX

1987 Base = 100




## ROADWAY EXCAVATION

1987 Base = 100



# SURFACING INDEX

1987 Base = 100



# STRUCTURAL INDEX

1987 Base = 100

